



Speed Scrub® 15/15B Scrubber

PARTS & CONSUMABLES

SERIAL # _____

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

BRUSHES

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines
- Easy installation helps reduce machine downtime and service calls
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass

MODEL	PART DESCRIPTION	SIZE	PART NUMBER
SS15 / SS15B	Nylon Cylindrical Scrub Brush	15" (381 mm)	1037197
SS15 / SS15B	Polypropylene Cylindrical Scrub Brush		1037277
SS15 / SS15B	Abrasive Cylindrical Scrub Brush		1037278

SQUEEGEES

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines
- Less rework and low labor costs
- Ideal fit for any application with three types of squeegees:
 - Premium Linatex® rubber exhibits outstanding strength and resistance to cutting and tearing
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils
 - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers

MODEL	PART DESCRIPTION	SIZE	PART NUMBER
SS15	Urethane Front Squeegee Blade Assembly	18" (460 mm)	1245930
SS15	Urethane Back Squeegee Blade Assembly		1245931
SS15B	Urethane Inner Squeegee	15" (381 mm)	1245933
SS15B	Urethane Outer Squeegee		1245932

BATTERY & CHARGERS

PART DESCRIPTION	PART NUMBER
12V, 50AH AMG Battery	1065086
Lithium-ion Battery Replacement Kit	9008690
12VDC 10A Charger	1067790
12VDC, 16A, 120/240VDC [LI-ION] Charger	1065754

GENERAL MAINTENANCE

MODEL	PART DESCRIPTION	SIZE	PART NUMBER
SS15	Squeegee Roller		1030852
SS15	Foot Pedal		1034376
SS15	Wheel Release Pedal Lever		1034420
SS15	120V Extension Cord (50ft)		1042403
SS15	120V Solution Pump Solenoid		1035850
SS15	120V Single Brush Motor		1072719
SS15	Belt Kit		9004283
SS15	Tank Gaskets		1052876
SS15	80 Mesh Solution Tube Filter		1032556
SS15	Recovery Hose		1074694
SS15	Solution Hose		1036078
SS15	Wire Reinforced Vac Hose	18" (457 mm)	1037756
SS15	Vacuum Hose	13" (330 mm)	1038391
SS15	Vacuum Hose	15" (381 mm)	1038394
SS15B	12V, 50AH AMG Battery		1065086
SS15B	AGM Battery Charger		1058586
SS15B	Power Cord - U.S. (8 ft)		1044067

TENNANTTRUE® CLEANING SOLUTIONS

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives
- Color coded for easy identification, training, and safety
- Low-foam formulas allows for easy rinsing and may help extend some equipment components

PRODUCT DESCRIPTION	SIZE	PART NUMBER
NEUTRAL pH DAILY CLEANER (CLEAR) For light-duty cleaning. Safe for all floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning - 1/4 oz per gal; Moderate cleaning - 1/2 oz per gal.	2.5 gal	9015248
	5 gal	9006758
	15 gal w/pump	9006759
	15 gal	9006760
	55 gal w/pump	9006761
NEUTRAL PURPOSE CLEANER (PURPLE) For medium-duty cleaning. Safe for most floor types. Low foam. Contains environmentally safer surfactants, Green Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning - 1/2 oz per gal; Moderate cleaning - 2 oz per gal.	55 gal	9006762
	275 gal	9006763
	2.5 gal	9015246
	5 gal	9006764
	15 gal w/pump	9006765
NEUTRAL pH SOLVENT DEGREASER (YELLOW) For aggressive cleaning in heavy manufacturing & industrial environments. Good for grease removal. Low foam. Contains low volatile solvents & environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning - 1 oz per gal; Heavy cleaning - 4 oz per gal.	15 gal	9006766
	55 gal w/pump	9006767
	55 gal	9006768
	275 gal	9006769
	2.5 gal	9015247
HIGH ALKALINE DEGREASER (RED) For heavy-duty cleaning in manufacturing & industrial environments with petroleum & grease. Low foam. Contains low volatile solvents. NSF approved. pH: 12.5-13.5. Dilution: Light cleaning - 1 oz per gal; Heavy cleaning - 4 oz per gal.	5 gal	9006770
	15 gal w/pump	9006771
	15 gal	9006772
	55 gal w/pump	9006773
	55 gal	9006774
SUPER STRENGTH SOLVENT DEGREASER (ORANGE) For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning - 1/2-3 oz per gal; Heavy cleaning - 4-8 oz per gal; Severe cleaning - up to 15 oz per gal.	275 gal	9006775
	2.5 gal	9015249
	5 gal	9006776
	15 gal w/pump	9006777
	15 gal	9006778
HIGH ALKALINE DEGREASER (WHITE GRANULAR) Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	55 gal w/pump	9006779
	55 gal	9006780
	275 gal	9006781
	2.5 gal	9015250
	5 gal	9008791
HIGH ALKALINE DEGREASER (WHITE GRANULAR) Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	15 gal w/pump	9008795
	15 gal	9008796
HIGH ALKALINE DEGREASER (WHITE GRANULAR) Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	55 gal w/pump	9008797
	55 gal	9008798
HIGH ALKALINE DEGREASER (WHITE GRANULAR) Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning - one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning - one 2.2 lb bag / 4 cups per 15 gal warm water.	22 Lb Box	9006782
	Granular Drum	9006783