

SPEED SCRUB® 300 | WALK BEHIND SCRUBBER COMPETITIVE COMPARISON



	Specification	Factory Cat	Betco	TASKI	Pacific	Nilfisk	IPC	Minuteman
		Micromag	Stealth	855B	S20	BA531/Adfinity	CT40	E20
Disk 17 in / 430 mm	Solution Tank Size	10 gal / 38 L	Not Available	10.5 gal / 40 L	Not Available	10.5 gal / 40 L	10.5 gal / 40 L	12 gal / 45 L
	Recovery Tank Size	10 gal / 38 L		10.5 gal / 40 L		10.5 gal / 40 L	13 gal / 49 L	13 gal / 49 L
	dBa	67 dBA		68 dBA		65.8 dBA		
	RPM	200 RPM		160 RPM		135 RPM	180 RPM	180 RPM
	Down Pressure	75 or 125 lbs / 34 or 57 kg		95 lbs / 43 kg		42 & 57 lb / 19 & 26 kg		
	Brush Motor	0.75 hp / .56 kW		1 hp / .75 kW				0.75 hp / .56 kW
	Vacuum Motor	0.75 hp / .56 kW		0.65 hp / .48 kW				0.60 hp / .45 kW
	Drive Type	Pad or Drive		Pad or Drive			Pad or Drive	Pad or Drive
Disk 20 in / 500 mm	Solution Tank Size	10 gal / 38 L	11 gal / 41.5 L	10.5 gal / 40 L	11 gal / 41.5 L	10.5 gal / 40 L	10.5 gal / 40 L	12 gal / 45 L
	Recovery Tank Size	10 gal / 38 L	13 gal / 49 L	10.5 gal / 40 L	13 gal / 49 L	10.5 gal / 40 L	13 gal / 49 L	13 gal / 49 L
	dBa	67 dBA	58 dBA	68 dBA	63 dBA	65.8 dBA		
	RPM	200 RPM	170 RPM	160 RPM	230 RPM	135 RPM	180 RPM	180 RPM
	Down Pressure	75 or 125 lbs / 34 or 57 kg	66 lbs / 30 kg	95 lbs / 43 kg	60 & 90 lbs / 27 & 41 kg	46 & 61.5 lb / 21 & 28 kg		
	Brush Motor	0.75 hp / .56 kW	0.55 hp / .41 kW	1 hp / .75 kW	0.75 hp / .56 kW			0.75 hp / .56 kW
	Vacuum Motor	0.75 hp / .56 kW	0.5 hp / .37 kW	0.65 hp / .48 kW	0.51 hp / .38 kW			0.60 hp / .45 kW
	Drive Type	Pad or Drive	Pad & Drive	Pad or Drive	Pad & Drive	Pad & Drive	Pad or Drive	Pad or Drive

		Factory Cat	Betco	TASKI	Pacific	Nilfisk	IPC	Minuteman
	Specification	Micromag	Stealth	855B	S20	BA531/Adfinity	CT40	E20
Orbital 20 in / 500 mm	Solution Tank Size	Not Available	Not Available	Not Available	11 gal / 41.5	Not Available	Not Available	Not Available
	Recovery Tank Size				13 gal / 49 L			
	dBa				60 dBA			
	RPM				2,200 RPM			
	Down Pressure				75 & 100 lbs / 34 & 45 kg			
	Brush Motor				1 hp / .75 kW			
	Vacuum Motor				0.51 hp / .38 kW			
	Drive Type				Drive			
Cylindrical 20 in / 500 mm	Cylindrical Type	Not Available	Dual	Not Available	Not Available	Dual	Not Available	Not Available
	Solution Tank Size		16 gal / 60 L			14.5 gal / 55 L		
	Recovery Tank Size		19 gal / 72 L			14.5 gal / 55 L		
	dBa		58 dBA			65.8 dBA		
	RPM		800 RPM			570 RPM		
	Down Pressure		100 lbs / 45 kg			57 lbs / 26 kg		
	Brush Motor		0.75 hp / .56 kW					
	Vacuum Motor		0.5 hp / .37 kW					
	Drive Type		Drive			Drive		

		Factory Cat	Betco	TASKI	Pacific	Nilfisk	IPC	Minuteman
	Specification	Micromag	Stealth	855B	S20	BA531/Adfinity	CT40	E20
Disk 24 in / 600 mm	Solution Tank Size	Not available in Speed Scrub 17-20 comparison. Product would be a Speed Scrub 24-32 comparison.	Not available in Speed Scrub 17-20 comparison. Product would be a Speed Scrub 24-32 comparison.	10.5 gal / 40 L	11 gal / 41.5 L	Not available in Speed Scrub 17-20 comparison. Product would be a Speed Scrub 24-32 comparison.	Not available in Speed Scrub 17-20 comparison. Product would be a Speed Scrub 24-32 comparison.	Not available in Speed Scrub 17-20 comparison. Product would be a Speed Scrub 24-32 comparison.
	Recovery Tank Size			10.5 gal / 40 L	13 gal / 49			
	dBa			68 dBA	63 dBA			
	RPM			195 RPM	360 RPM			
	Down Pressure			106 lbs / 48 kg	60 & 90 lbs \ 27 & 41 kg			
	Brush Motor			1 hp / .75 kW	1 hp / .75 kW			
	Vacuum Motor			0.65 hp / .48 kW	0.51 hp / .38 kW			
	Drive Type			Drive	Drive			
	Notes			22 in / 560 mm Cleaning Path				
General	Battery Types	Wet & AGM	Wet & AGM	AGM	Wet & AGM	Gel		
	Charger Types	Off Only	Off Only	On & Off	On & Off	On & Off	On	Yes
	Chemical Dispensing System	No	No	Yes	No	Yes	No	No

Note: All competitive specifications gathered from spec sheets or webpages from manufacturers website on 2/7/15.