


Revision Control

REV	ECO DESCRIPTION	DATE	NAME
3.0	Schematic updates	5-06-08	TBS



CASSODAY USER INTERFACE

Revision History:


- Rev 06
- Added USB circuitry
 - Removed all nets related to cell modem.
 - Remapped several LEDs to free up USB pins
 - Added USB LED
 - Removed ISP connector
 - Added pulldown to port pin P2-8 to enable SW to identify board rev for remapped LEDs.



- Rev 07
- Added USB pulldown, series resistor, and keypad series resistors.
 - Changed keypad resistors to 1.8K 0603

REVISION


3.0	03	Added zener to 12v supply control line, added reset to modem, grounded DTR on modem. Added polyswitch to +12v line. CTS & RTS still wrong.
-----	----	--

Title			
Cassoday User Interface			
Size	Document Number		Rev
D	<Doc>		B
Date:	Thursday, September 06, 2012	Sheet 1 of 1	






FLASH MEMORY




Title		
Cassoday User Interface		
Size B	Document Number <Doc>	Rev B
Date:	Thursday, July 12, 2012	Sheet 4 of 7

DIAGNOSTICS PORT - RS232



Title		
Cassoday User Interface		
Size	Document Number	Rev
B	<Doc>	B
Date:	Thursday, July 12, 2012	Sheet 5 of 7



Title		
Cassoday User Interface		
Size	Document Number	Rev
B	<Doc>	B
Date:	Thursday, July 12, 2012	Sheet 6 of 7

