

T2 Scrubber

COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance for the life of your equipment.

Serial #

Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

Pads/pad drivers

 Available for a variety of cleaning needs and floor types.

Polishing

- Scrubbing
- Stripping

PART DESCRIPTION	SIZE	PART #
Nylon Disk Scrub Brush		1016764
Polypropylene Disk Scrub Brush	17" (432 mm)	1016765
Abrasive Disk Scrub Brush		1016763

PART DESCRIPTION	SIZE	PART #
3M White Polishing Pad, case of 5	17" (432 mm)	1243350
3M Red Cleaning Pad, case of 5	17" (432 mm)	1243349
3M Blue Scrubbing Pad, case of 5	17" (432 mm)	1050270
3M Brown Stripping Pad, case of 5	17" (432 mm)	1243664
3M Black HiPro Stripping Pad, case of 5	17" (432 mm)	1243663
3M Maroon Surface Prep Pad, case of 5	17" (432 mm)	1243669
Pad Driver	17" (432 mm)	1016813

Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal fit for any application with three types of squeegees.
 - Premium Linatex[®] and Linard[®] rubber exhibits outstanding strength and resistance to cutting and tearing.
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleumbased oils.
 - Economy Gum Rubber is costeffective option for smooth, indoor floors, made of a combination of natural material and fillers.

PART DESCRIPTION	SIZE	PART #
Linatex® Front Squeegee		1016764
Urethane Front Squeegee Blade (Std)	26.9" (683 mm)	1016765
Gum Rubber Front Squeegee Blade		1016763
Linatex [®] Rear Squeegee Blade		1040626
Urethane Rear Squeegee Blade (Std)	27.8″ (706 mm)	1045384
Gum Rubber Rear Squeegee Blade		1045383

Pricing & Ordering

Contact Tennant Customer Service at **1800 226 843** or **www.tennantco.com.au** Prices and programs subject to change without notice. ©2024 The Tennant Company. All rights reserved. Rev 5/24

General Maintenance

PART DESCRIPTION	PART #
12V, 105AH, Wet Battery	578426
12V, 70AH, Gel Battery	8G31DT
Power Cord – U.S. (8 ft)	1044067
Ignition Key	1011402
Pad Driver (3-Lug)	1054019
Rear Swivel Caster	1043250
Scrub Head Splash Skirt	1011368
Scrub Head Bumper Wheel	1010560
Squeegee Clamp Wheel	630477
Squeegee Strap Knob	603012
Squeegee Assembly Knob	1010558
Squeegee Assembly Casters	1042507
Squeegee Assembly Vacuum Hose	1042313
Recovery Tank Shut Off Float	630052
Recovery Tank Debris Tray	1036757
Recovery Tank Adapter Hose Gasket	1037106
Recovery Tank Adapter Hose Assy.	1042346
Solution Tank Drain Hose	1041008
Solution Tank Fill Strainer	1045189
Solution Tank Cover Seal	1045506
Vacuum Fan	9004850

Tennant True[®] cleaning solutions

Formulated to help protect	PART DESCRIPTION	SIZE	PART #
		2.5 gal	9015248
		5 gal	9006758
	Neutral pH Daily Cleaner (clear): For light-duty cleaning. Safe for all	15 gal w/pump	9006759
green cleaning initiatives	floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1/4 oz per gal; Moderate	15 gal	9006760
Color coded for easy identification,	cleaning – 1/2 oz per gal.	55 gal w/pump	9006761
training, and safety		55 gal	9006762
_ow-foam formulas allows for		275 gal	9006763
easy rinsing and may help extend		2.5 gal	9015246
some equipment components		5 gal	9006764
	Neutral Purpose Cleaner (purple): For medium-duty cleaning. Sale for	15 gal w/pump	9006765
	most floor types. Low foam. Contains environmentally safer surfactants,	15 gal	9006766
	Green Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning – 1/2 oz per gal; Moderate cleaning – 2 oz per gal.	55 gal w/pump	9006767
		55 gal	9006768
		275 gal	9006769
		2.5 gal	9015247
		5 gal	9006770
	Neutral pH Solvent Degreaser (yellow): For aggressive cleaning in heavy manufacturing & industrial environments. Good for grease	15 gal w/pump	9006771
	removal. Low foam. Contains low volatile solvents & environmentally	15 gal	9006772
	safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1 oz	55 gal w/pump	9006773
	per gal; Heavy cleaning – 4 oz per gal.	55 gal	9006774
		275 gal	9006775
		2.5 gal	9015249
		5 gal	9006776
	High Alkaline Degreaser (red): For heavy-duty cleaning in	15 gal w/pump	9006777
	manufacturing & industrial environments with petroleum & grease. Low foam. Contains low volatile solvents. NSF approved. pH: 12.5-13.5.	15 gal	9006778
	Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.	55 gal w/pump	9006779
		55 gal	9006780
		275 gal	9006781
		2.5 gal	9015250
	Super Strength Solvent Degreaser (orange): For extremely aggressive	5 gal	9008791
	cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer	15 gal w/pump	9008795
	surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3	15 gal	9008796
	oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to	55 gal w/pump	9008797
	15 oz per gal.	55 gal	9008798
High Alkaline Degreaser (white granular): Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning – one 2.2 lb bag /4 cups per 30 gal warm water; Heavy cleaning – one 2.2 lb bag / 4 cups per 15 gal warm water.		22 Lb Box	9006782
	Granular Drum	9006783	