



REINVENT HOW THE WORLD CLEANS



T600e

Industrial-strength floor scrubber

Delivering exceptional cleaning performance and reliability even in the toughest environments.

Available technologies



ec-H₂O NanoClean® technology



IRIS® Asset Manager



Smart-Fill™ Automatic Battery Watering



High capacity battery power sources

Productive & versatile



1. Yellow debris tray

Helps prevent machine clogging.

2. Productivity-boosting

Maximize battery life and run-time with the optional Smart-Fill™ automatic battery watering system.

3. Yellow touch points

Save time and ensure proper maintenance with yellow touch points.

4. Squeegee integrated p-trap

Virtually eliminate water drips after cleaning with an integrated p-trap.

5. Recovery hose

Pinch-style recovery hose helps control dirty water flow.

6. ec-H2O NanoClean® technology

Decrease the use of daily floor cleaning chemicals and the amount of water needed with optional detergent-free ec-H2O NanoClean® technology.

Get the performance you need

The T600e scrubbers have multiple machine head types to fit your cleaning applications and optimize cleaning performance for specific areas.



Cylindrical:
700 mm & 800 mm



Orbital:
700 mm



Dual disk:
800 mm & 900 mm

Inside the **T600e**



1. Simplify operation

Easy-to-understand controls featuring variable speed control bail, propel toggle and speed setting within easy reach.

2. Convenient charger

Charge anywhere with the convenient on-board charger.

3. Foot activated squeegee

Easily and ergonomically lower and raise the foot activated squeegee.

4. Drain tube

Safely control the removal of excess fluids via the battery compartment drain tube.

5. Easy access

To solution filter bowl makes cleanout simple and quick.

6. Foam filled or pneumatic tires

Increase traction with tires with enhanced grip.

7. Yellow plunger

Easily remove scrub head brushes with yellow plunger.

T600e specifications

	DISK		CYLINDRICAL		ORBITAL
	800 MM	900 MM	700 MM	800 MM	700 MM
Productivity (per hour) Theoretical Max	3,924 m ² /hr	4,415 m ² /hr	3,434 m ² /hr	3,924 m ² /hr	3,434 m ² /hr
Estimated Coverage* Conventional	2,573 m ² /hr	2,916 m ² /hr	2,230 m ² /hr	2,573 m ² /hr	2,230 m ² /hr
Estimated Coverage* ec-H2O NanoClean®	3,094 m ² /hr	3,248 m ² /hr	2,681 m ² /hr	3,094 m ² /hr	2,681 m ² /hr
Scrub motor	2 x 36 VDC, 1.0 hp/.75 kW		2 x 36 VDC, .9 hp/.67 kW		1 x 36 VDC, .75 hp/.56 kW
Brush/pad RPM	300 rpm		760 rpm		2,200 rpm
Brush/pad pressure	45, 68, 90, 136 kg	45, 68, 90 kg	23, 32, 41 kg		48, 61, 77 kg
Solution tank capacity	121 L		121 L		121 L
Recovery tank capacity	140 L		140 L		140 L
Vacuum motor	36 VDC, 0.75 hp/.56 kW, 15.6 A		36 VDC, 0.75 hp/.56 kW, 15.6 A		36 VDC, 0.75 hp/.56 kW, 15.6 A
Vacuum waterlift	1,270 mm		50 in / 1,270 mm		1,270 mm
System voltage	36 volt		36 volt		36 volt
Battery run time (up to hours)***	5.3	5.3	6.9	6.1	6.5
Battery option packages	Wet 240 AH Wet 360 AH 210 AH Thin Plate Pure Lead (TPPL) *****				
Length x width x height	1,617 x 856 x 1,107 mm	1,761 x 955 x 1,107 mm	1,637 x 792 x 1,107 mm	1,637 x 892 x 1,107 mm	1,590 x 746 x 1,107 mm
Weight (with Batteries)	471 kg	473 kg	477 kg	478 kg	481 kg
Sound level (operator's ear)****	69.5 dBA		69.2 dBA		69.5 dBA



ec-H2O NanoClean® technology is NFSI
(National Floor Safety Institute) Certified



ec-H2O NanoClean technology is registered
by NSF International

*Estimated coverage rates use the practical speed and empty/fill time standards from the 2014 ISSA 612 Cleaning Times & Tasks handbook.

**Only available in the U.S. and Canada.

***Up to run-times are based on continuous scrubbing run-times, 360AH batteries, low down pressure, ec-H2O off.

****Sound levels per ISO 11201 as recommended by the American Association of Cleaning Equipment manufacturers & OSHA.

*****Does not include - ec-H2O NanoClean or Smart-Fill options.

Specifications subject to change without notice.

Tennant – Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information,
call **1800 226 843** or email **contactus@tennantco.com**

t600e-brochure-en-au 7/24

©2024 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.

Tennant Australia

Unit 2, 10 Johnston Crescent
Horsley Park NSW 2175
T: 1800 226 843 (FREE CALL)
T: +61 2 9839 9700
www.tennantco.com.au
contactus@tennantco.com

Tennant New Zealand

18 Onslow Ave, Papatoetoe,
Auckland, 2104
T: +64 9 253 9013
F: +64 9 253 9015
www.tennantco.co.nz
contactus@tennantco.com